



Liucong

2025

Liutsung Hardware Products Co., Ltd.

Professional manufacturing, quality assurance, global kitchen
supplies supplier

Contact information: whatsapp:86-18355113475

Mail:liulong@lckitchenware.com

Wbsite:hyyps://liuconghardware.com



EU style

目录

CONTENTS

01

Company introduction

02

Product display.

03

**Production and
quality control**

04

**Orders and
cooperation methods**

Company introduction

Guangdong Chaoan Liancong Stainless Steel Ware Co., Ltd. is a normative enterprise in the eastern area of Guangdong province which collects development, design, production and sale. We have many years' special experience in production, and have abundant technique of production and bases of market. There are two series of decoration and kitchen tableware of stainless steel products that mainly was made and was sold. It is up to hundreds of ranges in total. Depending on the elegance of surface, high quality performance and stable quality, our company has established itself as an outstanding quality with an inviolable reputation. Its distinguished record of service has commanded much respect in home and overseas markets. We shall endeavor to deserve the same measure of confidence which the past retain for years.



PRODUCTION PROCESS



EXHIBITION PICTURES



Company Introduction

About Us

Guangdong Chaozhou Liutsung Hardware Products Co., Ltd. was established in 2009, specializing in the research, development, production, and sales of stainless steel kitchenware. Equipped with advanced production facilities, our products are exported to Southeast Asia, Europe, Africa, and South America. We are committed to providing high-quality, durable, and aesthetically pleasing stainless steel products to our clients.



Hydraulic Machines:
81 units,
ensuring high
efficiency and
precision in
production.



Has 5 packaging
lines



It has ISO, SGS and
other international
certifications and
meets global market
requirements.



Our products are
exported to over 50
countries, including
Indonesia, Vietnam,
Africa, and the United
States.

Company Strength

Advanced Production Technology:

We implement an intelligent automated manufacturing system to ensure exceptional quality in every product.

Strong Manufacturing Equipment:

Hydraulic Machines:

81 units, ensuring high efficiency and precision in production.

Automatic Robots:

10 units, optimizing workflow and boosting productivity.

Punching Machines:

35 units, delivering precision stamping for various product specifications.

Laser Cutting Machines:

5 units, ensuring high-accuracy customization.

Fully Automated Polishing Equipment:

20 units, guaranteeing flawless surface finishes.

Welding Equipment:

15 units, applying international-standard welding techniques for superior durability.



RAW MATERIAL



MOULD DEVELOPING



STRETCH FORMING



EDGE CUTTING



DEBURRING



PACKAGE

Product Categories

Steaming Tray Series
Made of food-grade 304/201 stainless steel, heat-resistant, rust-proof, and easy to clean.

Insulated Bucket Series
Double-layer stainless steel structure, long-lasting insulation, spill-proof design.

Kitchen Storage G/N Containers

Storage solutions suitable for hotels, restaurants, and food processing plants.

Stainless Steel Trays

Pressure Cooker

Bacon Grease Storage Can



Steaming Tray Series



Specification (CM)	Thicknrss (MM)	Depth(cm)	Craftsmanship	Material
20*27	0.6/0.7/1.0/1.5	2/4.8/7/10	Mirrorpolished	410/201/304
32*22	0.6/0.7/1.0/1.5	2/4.8/7/10	Mirrorpolished	410/201/304
36*27	0.6/0.7/1.0/1.5	2/4.8/7/10	Mirrorpolished	410/201/304
40*30	0.6/0.7/1.0/1.5	2/4.8/7/10	Mirrorpolished	410/201/304
45*35	0.6/0.7/1.0/1.5	2/4.8/7/10	Mirrorpolished	410/201/304
50*40	0.6/0.7/1.0/1.5	2/4.8/7/10	Mirrorpolished	410/201/304
60*40	0.6/0.7/1.0/1.5	2/4.8/7/10	Mirrorpolished	410/201/304
65*40	0.6/0.7/1.0/1.5	2/4.8/7/10	Mirrorpolished	410/201/304
70*50	0.6/0.7/1.0/1.5	2/4.8/7/10	Mirrorpolished	410/201/304

G/N container



SPEC(CM)	Thicknrss(MM)	Depth(cm)	Craftsmanship	Material
1/1(53*32.5)	0.7/1.0/1.2	2/4/6.5/10/15/20	Electrolytic surface treatment	201/304
1/2(32.5*26.5)	0.7/1.0/1.2	6.5/10/15/20		
2/3(35.5*32.5)	0.7/1.0/1.2	6.5/10/15/20		
1/3(32.5*17.5)	0.7/1.0/1.2	6.5/10/15/20		
1/4(26.5*16.2)	0.7/1.0/1.2	6.5/10/15/20		
1/6(17.6*16.2)	0.7/1.0/1.2	6.5/10/15		
1/9(17.6*10.8)	0.7/1.0/1.2	6.5/10/15		
2/4(53*16.2)	1.0	10/15		



1/1 PERFORATED GASTRONORM PAN



编号 Item No.	规格 SPEC.(mm)	厚度 Thickness(mm)	装量 PCS/CTNS	备注 Remark
LT665G	176×162×65	0.7	24	1/6×35
LT6100G	176×162×100	0.7	24	1/6×100
LT6150G	176×162×150	0.7	36	1/6×150



1/2 PERFORATED GASTRONORM PAN



编号 Item No.	规格 SPEC.(mm)	厚度 Thickness(mm)	装量 PCS/CTNS	备注 Remark
LT965G	176×108×65	0.7	100	1/9×55
LT9100G	176×108×100	0.7	48	1/9×100
LT9150G	176×108×150	0.7	36	1/9×150



1/6 GASTRONORM PAN

1/6 份数盆



编号 Item No.	规格 SPEC.(mm)	厚度 Thickness(mm)	装量 PCS/CTNS	备注 Remark
LT665G	176×162×65	0.7	140	1/6×65
LT6100G	176×162×100	0.7	120	1/6×100
LT6150G	176×162×150	0.7	80	1/6×150
LT6200G	176×162×200	1.0	60	1/6×200



1/9 GASTRONORM PAN

1/9 份数盆



编号 Item No.	规格 SPEC.(mm)	厚度 Thickness(mm)	装量 PCS/CTNS	备注 Remark
LT965G	176×108×65	0.7	240	1/9×65
LT9100G	176×108×100	0.7	160	1/9×100
LT9150G	176×108×100	1.0	120	1/9×150



2/3 GASTRONORM PAN

2/3 份数盆



编号 Item No.	规格 SPEC.(mm)	厚度 Thickness(mm)	装量 PCS/CTNS	备注 Remark
LT2340G	353×325×40	0.7	36	2/3×40
LT2365G	353×325×65	0.7	30	2/3×65
LT23100G	353×325×100	0.7	24	2/3×100
LT23150G	353×325×150	0.7	24	2/3×150
LT23200G	353×325×200	1.0	18	2/3×200



2/1 GASTRONORM PAN

2/1 份数盆



编号 Item No.	规格 SPEC.(mm)	厚度 Thickness(mm)	装量 PCS/CTNS	备注 Remark
LTO2120	650×530×20	0.8	6	2/1×20
LTO2140	650×530×40	0.8	6	2/1×40
LTO2155	650×530×55	0.8	6	2/1×55
LTO2165	650×530×65	0.8	6	2/1×65
LTO21100	650×530×100	0.8	6	2/1×100
LTO21100	650×530×150	0.8	6	2/1×150
LTO21100	650×530×200	1.0	6	2/1×200



1/1 GASTRONORM PAN

1/1 份数盆



编号 Item No.	规格 SPEC.(mm)	厚度 Thickness(mm)	装量 PCS/CTNS	备注 Remark
LT125G	530×325×25	0.7	36	1/1×25
LT140G	530×325×40	0.7	36	1/1×40
LT165G	530×325×65	0.7	30	1/1×65
LT1100G	530×325×100	0.7	24	1/1×100
LT1150G	530×325×150	0.7	24	1/1×150
LT1200G	530×325×200	1.0	12	1/1×200



1/3 GASTRONORM PAN

1/3 份数盆



编号 Item No.	规格 SPEC.(mm)	厚度 Thickness(mm)	装量 PCS/CTNS	备注 Remark
LT3655G	325×176×65	0.7	96	1/3×65
LT3100G	325×176×100	0.7	60	1/3×100
LT3150G	325×176×150	0.7	48	1/3×150
LT3200G	325×176×200	0.8	36	1/3×200



1/2 GASTRONORM PAN

1/2 份数盆



编号 Item No.	规格 SPEC.(mm)	厚度 Thickness(mm)	装量 PCS/CTNS	备注 Remark
LT225G	325×265×25	0.7	60	1/1×25
LT240G	325×265×40	0.7	60	1/1×40
LT265G	325×265×65	0.7	60	1/1×65
LT2100G	325×265×100	0.7	48	1/1×100
LT2150G	325×265×150	0.7	36	1/1×150
LT2200G	325×265×200	1.0	24	1/1×200



1/4 GASTRONORM PAN


1/4 份数盆



编号 Item No.	规格 SPEC.(mm)	厚度 Thickness(mm)	装量 PCS/CTNS	备注 Remark
LT465G	265×162×65	0.7	120	1/4×65
LT4100G	265×162×100	0.7	96	1/4×100
LT4150G	265×162×150	0.7	60	1/4×150
LT4200G	265×162×200	0.8	36	1/4×200



INSULATION BUCKET



Packing Details

Model	Capacity		Height	Diameter	Carton size(cm)	Package	20GP	40HQ
	Standard	Actual						
IB-8A	8L	7.5L	27.5cm	24.3cm	27*27*39	6pcs.	880	2410
IB-10A	10L	8.9L	32.5cm	24.3cm	27*27*44	6pcs.	770	2110
IB-12A	12L	10.7L	38cm	24.3cm	27*27*49	6pcs.	710	1930
IB-14A	14L	13.2L	40.5cm	28.2cm	31*31*44	6pcs.	590	1610
IB-16A	16L	14.9L	46cm	28.2cm	31*31*49	6pcs.	525	1430
IB-18A	18L	16.6L	50cm	28.2cm	31*31*54	6pcs.	485	1320



New rectangular tray square deep food tray



SPC.(cm)	Thickness (mm)	Unit weight(g)	PCS/C TN	Carton size (cm)
36*27*7	0.8	550	60	37*28*41
40*30*7	0.8	685	50	41*31*36
45*35*7	0.8	870	40	46*36*30
50*35*7	0.8	900	40	51*36*30
60*40*7	0.8	1200	30	61*41*27

SPC.(cm)	Thickness (mm)	Unit weight(g)	PCS/C TN	Carton size (cm)
36*27*10	0.8	700	50	37*28*45
40*30*10	0.8	760	40	41*31*38
45*35*10	0.8	1000	35	46*36*35
50*35*10	0.8	1150	30	51*36*31
60*40*10	0.8	1200	20	61*41*25

SPC.(cm)	Thickness (mm)	Unit weight(g)	PCS/C TN	Carton size (cm)
36*27*15	0.8	840	40	37*28*51
40*30*15	0.8	960	30	41*31*47
45*35*15	0.8	1220	30	46*36*47
50*35*15	0.8	1320	25	51*36*40
60*40*15	0.8	1720	15	61*41*31

SPEC(cm)	Thickness mm	Unit weight(g)	pcs/CTN	Calton siz cm
36*27*7	0.8/1.0	500	60	37*28*41
40*30*7	0.8/1.0	635	40	41*31*36
50*35*7	0.8/1.0	850	40	51*36*30
60*40*7	0.8/1.0	1150	35	61*41*27

SPEC(cm)	Thickness mm	Unit weight(g)	pcs/CTN	Calton siz cm
36*27*10	0.8/1.0	620	50	37*28*45
40*30*10	0.8/1.0	710	40	41*31*38
50*35*10	0.8/1.0	1100	30	51*36*31
60*40*10	0.8/1.0	1200	25	61*41*30

SPEC(cm)	Thickness mm	Unit weight(g)	pcs/CTN	Calton siz cm
36*27*15	1.0	800	40	36*28*51
40*30*15	1.0	920	30	41*31*47
50*35*15	1.0	1250	25	51*36*40
60*40*15	1.0	1650	15	61*41*31

SPEC(cm)	Thickness mm	Unit weight (g)	pcs/CTN	Calton siz cm
36*27*20	1.0	////	/////	////
40*30*20	1.0	////	////	////
50*35*20	1.0	////	////	////
60*40*20	1.0	1850	12	61*41*38



Explosion-proof pressure cooker

SPEC(cm)	capacity(L)	quantity	Outer box size	Material
20CM	4L	6	93*33*48	201/304
22cm	5L	6	98*34*49	
24cm	7L	6	79*35*67	
26cm	9L	6	86*39*76	
28cm	11L	6	86*41*72	
30cm	13L	6	89*41*72	
32cm	15L	4	84*43*72	
34cm	18L	4	80*55*77	
36cm	22L	2	94*40*49	
40cm	30L	2	107*46*56	



Hot Pot can be customized in gold/rose gold



VISUAL BUFFET STOVE

可视自助餐炉-432

材质: 20
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
432-1	1	43.5X42X28
432-2	1	43.5X42X28



VISUAL BUFFET STOVE

可视自助餐炉-532

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
532-1	1	43.5X42X36
532-2	1	43.5X42X36



Hot Pot can be customized in gold/rose gold

VISUAL BUFFET STOVE


可视自助餐炉-431

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
431-1	1	49X45X28
431-2	1	49X45X28



VISUAL BUFFET STOVE

可视自助餐炉-531

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
531-1	1	49X45X36
531-2	1	49X45X36



Hot pot can be customized in gold/rose gold.



VISUAL BUFFET STOVE
可视自助餐炉-018

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
018-1	1	50X46X26
018-2	1	50X46X26



VISUAL BUFFET STOVE
可视自助餐炉-018

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
018-1	1	52X48X40
018-2	1	52X48X40



Hot Pot can be customized in gold/rose gold.

VISUAL BUFFET STOVE
可视自助餐炉-433

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
433-1	1	58X41X28
433-2	1	58X41X28
433-3	1	58X41X28



VISUAL BUFFET STOVE
可视自助餐炉-533

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
533-1	1	58X41X36
533-2	1	58X41X36
533-3	1	58X41X36



Hot pot can be customized in gold/rose gold



VISUAL BUFFET STOVE
可视自助餐炉-016

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
016-1	1	60X43X26
016-2	1	60X43X26
016-3	1	60X43X26



VISUAL BUFFET STOVE
可视自助餐炉-016

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
016-1	1	61X46X41
016-2	1	61X46X41
016-3	1	61X46X41



Hot pot can be customized in gold/rose gold



VISUAL BUFFET STOVE
可视自助餐炉-017

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craf : Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
017-1	1	45X42.5X26
017-2	1	45X42.5X26



VISUAL BUFFET STOVE
可视自助餐炉-017

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
017-1	1	46.5X44X44.5
017-2	1	46.5X44X44.5



Hot pot can be customized in gold/rose gold



VISUAL BUFFET STOVE

自助餐炉-723

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
723-1	1	64X47X29
723-2	1	64X47X29
723-3	1	64X47X29



VISUAL BUFFET STOVE

可视自助餐炉-723KS

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
723KS-1	1	64X47X29
723KS-2	1	64X47X29
723KS-3	1	64X47X29



Hot pot can be customized in gold/rose gold



VISUAL BUFFET STOVE

自助餐炉-721

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
721-1	1	47X47X29
721-2	1	47X47X29
721-3	1	47X47X29



VISUAL BUFFET STOVE

可视自助餐炉-721KS

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
721KS-1	1	47X47X29
721KS-2	1	47X47X29
721KS-3	1	47X47X29



Hot Pot can be customized in gold/rose gold



VISUAL BUFFET STOVE

可视自助餐炉-422

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
422-1	1	43.5X40X23.5
422-2	1	43.5X40X23.5



VISUAL BUFFET STOVE

可视自助餐炉-522

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
522-1	1	43.5X40X23.5
522-2	1	43.5X40X23.5



Hot Pot can be customized in gold/rose gold



VISUAL BUFFET STOVE

可视自助餐炉-421

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
421-1	1	44X44X24
421-2	1	44X44X24



VISUAL BUFFET STOVE

可视自助餐炉-521

材质: 201
工艺: 亮光/金色/玫瑰金/黑色/木纹
Material: 201
Craft: Bright/gold/rose gold/Black/wood grain

Optional number of pots
可选份数盆



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
521-1	1	44X44X30
521-2	1	44X44X30





CALDRON PRESSURE COOKER-KEYSTROKE

香釜压力锅-按键式

材质：三层钢
工艺：砂光
Material: Three-layer steel
Craft: sanding



规格 SPEC.(cm)	装量 PCS/CTNS
13/0.8L	2支
13/1.2L	12支
15/1.5L	12支
15/1.8L	2支

Optional handle
可选手柄



CALDRON PRESSURE COOKER-SPIN-OFF TYPE

香釜压力锅-旋合式

材质：三层钢
工艺：砂光
Material: Three-layer steel
Craft: sanding



规格 SPEC.(cm)	装量 PCS/CTNS
13/0.8L	12支
13/1.2L	12支
15/1.5L	12支
15/1.8L	12支

Optional handle
可选手柄



CALDRON PRESSURE COOKER-OPEN AND CLOSE

香釜压力锅-开合式

材质：三层钢
工艺：砂光
Material: Three-layer steel
Craft: sanding



规格 SPEC.(cm)	装量 PCS/CTNS
13/0.8L	2支
13/1.2L	2支
15/1.5L	2支
15/1.8L	2支

Optional handle
可选手柄




TYPE O PRESSURE COOKER

O型压力锅

不锈钢复底
材质: 201
工艺: 亮光
Stainless Steel Counterbottom
Material: 201
Process: bright



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
22/6L	6支	75X44X54
24/7L	6支	77X46X59
26/9L	6支	80X47X64
28/11L	6支	86X52X67



1. 安全手柄

手感舒适，操作方便，配有自锁阀门，符合人体工程学设计，防止打滑、烫伤和隔热，使用方便、安全、易于开启和关闭
2. 限压阀

80KPA 的极限压力达到一定压力后自动释放
➢释放压力锅炉无法开启
3. 防堵盖

安全防堵盖过滤物理渣，防止堵塞，保证排气顺畅，确保安全开启和关闭
4. 安全阀

当排气孔堵塞时，在安全压力范围内，保证蒸汽从安全阀排出
5. 报警阀

当锅内压力超过安全压力范围时，自动报警，确保安全
6. 减压窗口

这是限压阀和安全阀发生故障时的最终安全保证


TYPE C PRESSURE COOKER

C型压力锅

不锈钢复底
材质: 201
工艺: 亮光
Stainless Steel Counterbottom
Material: 201
Process: bright



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
20/4L	6支	87X47X51
22/6L	6支	77X44X55
24/7L	6支	77X46X59
26/9L	6支	83X48X63
28/11L	6支	88X51X67



1. 安全手柄

手感舒适，操作方便，配有自锁阀门，符合人体工程学设计，防止打滑、烫伤和隔热，使用方便、安全、易于开启和关闭
2. 限压阀

80KPA 的极限压力达到一定压力后自动释放
➢释放压力锅炉无法开启
3. 防堵盖

安全防堵盖过滤物理渣，防止堵塞，保证排气顺畅，确保安全开启和关闭
4. 安全阀

当排气孔堵塞时，在安全压力范围内，保证蒸汽从安全阀排出
5. 报警阀

当锅内压力超过安全压力范围时，自动报警，确保安全
6. 减压窗口

这是限压阀和安全阀发生故障时的最终安全保证

压力锅系列
Pressure cooker




EASYJET PRESSURE COOKER

易捷提压力锅

不锈钢打底
材质: SUS304
工艺: 亮光
Stainless steel backing
Material: 304
Process: bright



规格 SPEC (cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
24/5	6支	



1. 安全手柄

舒适人性化手柄, 带自锁功能, 人体工学设计, 防滑、防烫、隔热, 使用方便安全易开合
2. 限压阀

双档增压选择, 智能限压, 排气档设计, 自主排气且防烫, 自由拆卸设计, 清洗便捷
3. 防堵罩

安全防护罩过滤食物残渣, 防止堵塞, 保持排气顺畅保障安全开合
4. 止开安全阀

锅内压力指示标料, 安全有提示, 保证开盖安全性; 锅内超压时泄压保护, 安全更进一步
5. 锅耳

优质防烫锅耳, 牢固耐用, 精巧防烫防滑设计, 安全且更具生活品位
6. 泄压窗

当限压阀和安全阀失效时这是最后的安全保障

PRESSURE REGULATING RIGHT
ANGLE PRESSURE COOKER

调压直角压力锅

不锈钢复底 / 打底
材质: SUS304 / 201
工艺: 亮光 / 砂光
Stainless steel double bottom/single bottom
Material: sus304/201
Process: bright/sanding



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
20/4L	8支	86.5X46.5X64
22/5L	6支	71X44.5X68.5
24/6L	6支	73.5X46.5X72.5



- 1. 智能红点示压**
当锅内压力升至 4KPa 时, 红点自动升起, 锁闭锅盖。
- 2. 压力调节阀**
2档可调节压力, 轻松调节, 排气档快速排出蒸汽, 降低压力, 拆卸档快速拆卸, 清洁一步到位。
- 3. 推钮式开盖**
当红点落下后, 方可推: 此推钮 轻松开合盖。
- 4. 压力提示阀**
3档压力提示, 构建安全屏障, 红色报警圈, 安全一目了然。
- 5. 安全阀泄压**
当排气孔堵塞时, 在安全压力范围内, 保证蒸汽从安全阀排出。
- 6. 安全窗泄压**
锅内严重超压时, 密封胶圈从安全窗处部分挤出泄气。

DOUBLE HANDLE PRESSURE COOKER

双柄压力锅

不锈钢复底
材质: 201
工艺: 亮光
Stainless steel double bottom
Material: 201
Process: bright



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
28/10L	6支	75X38X86
30/12L	4支	81X41X63
32/16L	4支	84X43X69



- 1. 智能红点示压**
当锅内压力升至 4KPa 时, 红点自动升起, 锁闭锅盖。
- 2. 安全限压阀**
锅内压力控制在80kPa. 当压力达到80kPa时, 作阀自动排气泄压, 更安全降低爆炸缝隙。
- 3. 安全泄压阀**
当排气孔堵塞时, 在安全压力范围内, 保证蒸汽从安全阀排出。
- 4. 安全报警阀**
当压力继续升高时, 发出报警声提升。
- 5. 硅胶密封圈**
能防止漏气, 还能在高压锅压力非常大释放不出时泄压, 起到防爆作用。
- 6. 安全窗泄压**
锅内严重超压时, 密封胶圈从安全窗处部分挤出泄气。

压力锅系列

Pressure cooker

COOKING A PRESSURE COOKER

蒸煮压力锅

不锈钢复底
材质: 201
工艺: 亮光
Stainless steel double bottom
Material: 201
Process: bright



规格 SPEC (cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
22/5L	6支	71X45X56
24/5L	6支	75X47X60
26/8L	6支	78X49X63



1. 安全手柄

舒适人性化手柄，带自锁阀，人体工程学设计防滑、防烫、隔热，使用方便安全易开合
2. 限压阀

80KPA限制压力达到一定压力自动释放未泄压不能开锅
3. 防堵罩

安全防堵罩过滤食物渣滓，防止堵塞，保持排气顺畅保障安全开合
4. 安全阀

限压阀排气孔堵塞时在安全压力范围内保证蒸汽从安全阀排出
5. 报警阀

当锅内压力超出安全压力范围时，自动报警，确保安全
6. 泄压窗

当限压阀和安全阀失效时设置最后的安全保障

FAST FOOD PLATE
加深大五格快餐盘



规格 SPEC.(cm)	厚度 Thickness	装量 PCS/CTNS	外箱体积 Carton volume(cm)	备注 Remark	材质 Material
38×27×2.5	0.8	120	36×27×42	抛光/ 电解	201 / 304
	1.2	80	38×27×38		

FAST FOOD PLATE
加深大六格快餐盘



规格 SPEC.(cm)	厚度 Thickness	装量 PCS/CTNS	外箱体积 Carton volume(cm)	备注 Remark	材质 Material
38×27×2.5	0.8	120	36×27×42	抛光/ 电解	201 / 304
	1.2	80	38×27×38		

FAST FOOD PLATE
小三格快餐盘



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
24×17×4	100	25×18×48

FAST FOOD PLATE
小四格快餐盘



规格 SPEC.(cm)	装量 PCS/CTNS	外箱体积 Carton volume(cm)
24×17×4	100	25×18×48

FAST FOOD PLATE
新大七格快餐盘



规格 SPEC.(cm)	厚度 Thickness	装量 PCS/CTNS	外箱体积 Carton volume(cm)
38×27×2.5	1.2	80	39×28×33

FAST FOOD PLATE
新大六格快餐盘



规格 SPEC.(cm)	厚度 Thickness	装量 PCS/CTNS	外箱体积 Carton volume(cm)
38×27×2.5	1.2	80	39×28×33

FAST FOOD PLATE
小匙快餐盘



规格 SPEC.(cm)	厚度 Thickness	装量 PCS/CTNS	外箱体积 Carton volume(cm)
38×27×2.5	1.2	80	39×28×33

FAST FOOD PLATE
大四圆/大五圆/大六圆快餐盘



大六圆快餐盘



大四圆快餐盘



大五圆快餐盘

规格 SPEC.(cm)	厚度 Thickness	装量 PCS/CTNS	外箱体积 Carton volume(cm)	备注 Remark
35×26×2.5	0.5	200	54×36×36	抛光/ 电解
	0.6	150	61×41×30	
	0.7	150	36×26×50	
	0.8	120	36×27×42	
	0.9	120	36×27×42	
	1.0	100	36×27×42	



Bacon/Frying Cup/Grease Filter

Specification	quantity	Material	Outer box size	
1.3L	48	304	58*49*43	
1.7L	48	304	62*53*49	



Oil filter for filtering oil residue

Specification	quantity	Material	Outer box size
3.15inch	60	304/201	48*32*38
5.5inch	60	304/201	51*38*43
7.87inch	60	304/201	55*41*46

Bacon oil filter



Specification	quantity	Material	Outer box size	Customized colors
1.3L	32/48/60	410/304	68*58*42	Gold/Red/Black/Blue
1.8L	32/48/60	410/304	72*64*48	Gold/Red/Black/Blue



Liantong company owns the certificate of **Guangdong Five Research Detection Technology Inspection**, **Guangdong Quality Supervision and Inspection Certificate**, **SGS Certification**, **ISO9001 Quality System Certification**, **International Standard Authentication Certificate**. And we has wined the honor of **Chaozhou Chao'an Civilized Private Enterprise** and **Guangdong Honest Credibility Enterprise**.



Chaozhou Liancong Hardware Factory adheres to the concept of customer first, creates profits for customers, ensures quality and wins market recognition. Quality and service are the beliefs of our factory!